

## 202 医 療 関 係 者 お よ

率は総理府統計局の推計人口、昭和45年は国勢調査人口による。

年 末	医 師 数 <sup>1)</sup>		歯 科 医 師 数 <sup>1)</sup>		薬 剤 師 <sup>1)</sup>	保 健 婦 <sup>2)</sup>	看 護 婦 <sup>2)</sup>	看 護 士 <sup>2)</sup>	準看護婦 <sup>2)</sup>	助 産 婦 <sup>2)</sup>
	総 数	人口10000対	総 数	人口10000対						
昭和41年	819	14.2	200	3.5	290	152	956	5	846	314
42	822	14.3	202	3.5	300	139	1 139	4	803	206
43	845	14.7	204	3.6	315	141	1 190	4	892	214
44	866	15.1	204	3.6	341	145	1 266	5	1 026	193
45	900	15.8	198	3.5	352	145	1 352	6	1 091	184

(注) 1) 有資格者 2) 医療関係の就業者のみ

## 203 食 品 衛 生 昭和41~45年

### 許可を要する食品関係施設数

県厚生部「衛生統計年報」

業 種	昭和41年末	昭和42年末	昭和43年末	昭和44年末	昭和45年末
<b>総 数</b>	<b>6 840</b>	<b>7 635</b>	<b>8 233</b>	<b>8 521</b>	<b>9 145</b>
飲食店営業	3 157	3 500	3 714	3 900	4 127
菓子(パンを含む)製造業	602	612	603	600	626
乳処理業	17	16	17	12	13
乳製品製造業	21	18	17	14	12
魚介類販売業	504	567	642	649	692
魚介類せり売り営業	18	18	18	18	19
魚肉ねり製品製造業	53	54	53	50	48
食品の冷凍または冷蔵業	12	15	19	23	29
かん詰又はびん詰食品製造業	23	24	27	29	25
喫茶店営業	325	333	299	244	217
あん類製造業	8	8	8	8	8
アイスクリーム類製造業	49	42	38	34	33
乳類販売業	986	1 252	1 449	1 598	1 823
食肉処理業	—	—	78	91	94
食肉販売業	455	575	680	710	824
食肉製品製造業	2	2	2	1	1
そうざい製造業	8	7	7	8	51
みそ製造業	21	21	22	22	22
醤油製造業	47	48	47	44	43
ソース類製造業	8	8	8	6	6
酒類製造業	44	42	42	41	41
豆腐製造業	351	325	302	282	253
納豆製造業	2	2	2	1	1
めん類製造業	59	58	50	47	42
乳酸菌飲料製造業	10	9	9	10	10
清涼飲料水製造業	30	50	51	30	26
食用油脂製造業	—	—	—	—	3
氷雪製造業	14	14	14	13	14
氷雪販売業	34	35	35	36	40
添加物(法第7条第1項の規定により規格が定められたものに限る)製造業	—	—	—	—	2

び 医療施設状況 昭和41～45年

県厚生部「衛生統計年報」

病院数		一般診療所数		歯科診療所数		薬局数	病床数					年末
総数	人口10000対	総数	人口10000対	総数	人口10000対		病 院					
							総数	結核療所	一般病	精神病	一般診療所	
39	0.68	392	6.8	168	2.9	98	6 328	690	4 687	951	1 459	4 1年
40	0.68	410	7.1	172	3.0	98	6 601	490	5 059	1 052	1 496	4 2年
41	0.71	419	7.3	171	3.0	95	6 850	270	5 508	1 052	1 725	4 3年
43	0.75	419	7.3	168	2.9	100	6 964	—	5 871	1 093	1 878	4 4年
45	0.76	430	7.6	167	2.9	99	7 172	—	6 035	1 137	2 012	4 5年

204 市郡別伝染病・食中毒患者数および死亡者数 昭和41～45年

この表はその年の発生数であり、発生地主義により患者の出身地は問わない。したがって別表主要死因別数とは一致しないことがある。

県厚生部「衛生統計年報」

年次・市郡	法定伝染病													
	赤 疫 1)		腸チフス 2)		しょう紅熱		ジフテリア		流行性髄膜炎		日本脳炎		急性灰白髄炎	
	患者	死者	患者	死者	患者	死者	患者	死者	患者	死者	患者	死者	患者	死者
昭和41年	363	1	4	—	38	—	16	—	1	—	53	21	—	—
42	265	1	1	—	35	—	13	—	2	—	27	10	—	—
43	194	1	—	—	20	1	—	—	1	1	3	2	—	—
44	145	—	1	—	18	—	—	—	—	—	1	3	—	—
45	18	—	—	—	21	—	1	—	—	—	—	1	—	—
1 鳥取市	6	—	—	—	2	—	—	—	—	—	—	1	—	—
2 米子市	2	—	—	—	1	—	—	—	—	—	—	—	—	—
3 倉吉市	1	—	—	—	4	—	—	—	—	—	—	—	—	—
4 境港市	—	—	—	—	4	—	—	—	—	—	—	—	—	—
5 岩美郡	3	—	—	—	—	—	—	—	—	—	—	—	—	—
6 八頭郡	5	—	—	—	2	—	—	—	—	—	—	—	—	—
7 気高郡	2	—	—	—	5	—	—	—	—	—	—	—	—	—
8 東伯郡	1	—	—	—	3	—	1	—	—	—	—	—	—	—
9 西伯郡	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 日野郡	—	—	—	—	—	—	—	—	—	—	—	—	—	—
年次・市郡	届出伝染病											食中毒		
	ましん		百日ぜき		インフルエンザ		破傷風		結核		トラホーム	患者	死者	
	患者	死者	患者	死者	患者	死者	患者	死者	患者	死者	患者	患者	死者	
昭和41年	624	1	117	—	713	3	8	4	1 244	108	—	253	—	
42	170	2	75	—	123	2	6	4	1 157	76	—	194	1	
43	596	3	88	—	157	7	5	5	1 002	65	—	429	3	
44	670	2	102	—	97	14	7	3	846	72	—	142	—	
45	386	—	144	—	43	15	3	1	819	60	59	309	—	
1 鳥取市	7	—	—	—	1	—	—	—	196	10	59	88	—	
2 米子市	184	—	111	—	25	2	—	—	175	9	—	100	—	
3 倉吉市	—	—	—	—	1	—	—	—	60	3	—	12	—	
4 境港市	9	—	1	—	—	3	2	1	69	8	—	1	—	
5 岩美郡	1	—	—	—	—	—	—	—	33	3	—	—	—	
6 八頭郡	—	—	—	—	10	2	—	—	66	5	—	1	—	
7 気高郡	—	—	—	—	—	—	—	—	28	6	—	46	—	
8 東伯郡	—	—	2	—	6	5	—	—	105	9	—	10	—	
9 西伯郡	152	—	23	—	—	—	—	—	53	5	—	49	—	
10 日野郡	33	—	7	—	—	3	1	—	34	2	—	2	—	

(注) 1) 疫痢を含む。 2) パラチフスを含む。

205 主要死因別・年令階級

- 1 この表は、厚生省統計調査部が実施する「人口動態調査」の県集計の結果である。
- 2 住所地主義によるものである。
- 3 昭和41年から42年までは「腸炎およびその他の下痢性疾患」については「その他のすべての原因」の「胃炎、十二指腸炎および慢性胃腸炎」欄に、「その他のす

年次・年令・市郡	総 数	細菌性赤痢およびアメーバ症	腸炎およびその他の下痢性疾患	呼吸器系の結核	その他	レンサ球菌性咽頭炎および猩紅熱	髄膜炎菌感染	麻疹	梅毒および統発性	その他の伝染病および寄生虫病			
										総 数	破傷風	日本脳炎	その他
昭和41年	4 998	1	—	101	9	—	—	—	9	45	4	21	20
42	5 015	1	—	73	3	1	—	2	6	36	4	10	22
43	5 079	1	43	62	3	1	1	3	15	17	5	2	10
44	5 101	—	33	68	4	—	—	2	2	21	3	3	15
45	5 209	—	30	58	2	—	—	—	5	15	1	1	13
男	2 748	—	10	41	1	—	—	—	3	12	1	1	10
女	2 461	—	20	17	1	—	—	—	2	3	—	—	3
0～4才	151	—	5	—	—	—	—	—	—	4	—	—	4
5～19	77	—	—	—	—	—	—	—	—	1	—	1	—
20～39	262	—	—	2	—	—	—	—	—	—	—	—	—
40～59	792	—	3	22	1	—	—	—	1	3	—	—	3
60才～	3 927	—	22	34	1	—	—	—	4	7	1	—	6
1 鳥取市	855	—	3	10	—	—	—	—	2	5	—	1	4
2 米子市	823	—	1	9	—	—	—	—	1	—	—	—	—
3 倉吉市	468	—	3	3	—	—	—	—	—	1	—	—	1
4 境港市	255	—	1	8	—	—	—	—	—	2	1	—	1
5 岩美郡	289	—	1	3	—	—	—	—	—	—	—	—	—
6 八頭郡	637	—	7	5	—	—	—	—	—	—	—	—	—
7 気高郡	279	—	1	6	—	—	—	—	1	—	—	—	—
8 東伯郡	719	—	5	9	—	—	—	—	—	2	—	—	2
9 西伯郡	527	—	6	4	1	—	—	—	1	4	—	—	4
10 日野郡	357	—	2	1	1	—	—	—	—	1	—	—	1

年次・年令・市郡	髄膜炎	活動性リウマチ熱	慢性リウマチ性心疾患	高血圧性疾患			虚血性心疾患	その他の心疾患				脳血	
				総 数	高血圧性疾患	その他の高血圧性疾患		総 数	心内膜の慢性疾患	その他の心機能不全	その他の心疾患	総 数	脳出血
昭和41年	8	3	21	121	75	46	171	334	62	198	74	1 343	—
42	4	4	19	121	80	41	184	316	56	204	56	1 370	—
43	3	3	23	127	85	42	213	361	46	239	76	1 348	685
44	4	2	24	133	84	49	233	344	43	247	54	1 389	630
45	4	1	32	23	77	46	262	398	49	304	45	1 376	596
男	2	—	11	55	33	22	155	192	23	143	26	712	338
女	2	1	21	68	44	24	107	206	26	161	19	664	258
0～4才	—	—	—	—	—	—	—	2	1	1	—	—	—
5～19	1	—	—	1	1	—	—	—	—	—	—	1	1
20～39	1	1	2	—	—	—	1	7	—	6	1	8	5
40～59	1	—	13	10	6	4	30	32	8	19	5	153	95
60才～	1	—	17	112	70	42	231	357	40	278	39	1 214	495
1 鳥取市	—	—	6	15	12	3	41	45	6	31	8	201	80
2 米子市	—	1	8	17	9	8	51	55	6	43	6	198	78
3 倉吉市	2	—	1	15	10	5	15	48	8	34	6	140	55
4 境港市	—	—	—	5	2	3	13	11	1	10	—	60	22
5 岩美郡	—	—	1	4	3	1	18	25	3	20	2	59	28
6 八頭郡	—	—	4	16	12	4	38	45	3	34	8	194	96
7 気高郡	—	—	1	6	3	3	14	23	1	20	2	76	25
8 東伯郡	—	—	4	25	15	10	36	63	6	49	8	178	75
9 西伯郡	1	—	7	15	9	6	24	52	6	45	1	132	63
10 日野郡	1	—	—	5	2	3	12	31	9	18	4	138	74

別・市郡別死亡者数 昭和41~45年

すべての原因のうち「急性気管支炎および細気管支炎」については「気管支炎、肺気腫および喘息」の「気管支炎」欄にそれぞれ加えて計上した。また、「ビタミン欠乏症およびその他の栄養欠乏症」、「気管支炎、肺気腫および喘息」のうち「肺気腫」「喘息」は、「その他のすべての原因」の「総数」欄に含まれている。

県厚生部「衛生統計年報」

悪性新生物（リンパおよび造血組織の新生物を含む）											良 性 お よ び 性 質 不 詳 の 新 生 物	糖 尿 病	ビ タ ミ ン 欠 乏 症 お よ び そ の 他 の 栄 養 欠 乏 症	貧 血	年 次 年 市 郡
総 数	食 道	胃	肝 臓	脾 臓	気 管 ・ 気 管 支 お よ び 肺	乳 房	子 宮	白 血 病	そ の 他						
770	11	351	80	19	57	14	41	27	170	36	42	...	7	41年	
828	11	346	86	27	86	17	50	24	181	31	43	...	14	42	
873	20	390	90	31	69	18	55	23	179	32	43	2	13	43	
856	20	386	86	44	63	10	48	25	174	33	52	5	14	44	
890	23	353	83	36	70	18	49	21	237	30	64	4	11	45	
491	16	216	50	17	55	—	—	11	126	9	30	4	8	男	
399	7	137	33	19	15	18	49	10	111	21	34	—	3	女	
5	—	—	—	—	—	—	—	4	1	—	—	4	1	0才	
9	—	—	—	—	—	—	—	4	5	1	—	—	—	5~	
55	—	17	2	2	—	2	1	5	26	5	—	—	—	20~	
234	3	75	27	9	16	11	24	6	63	5	4	—	3	40~	
587	20	261	54	25	54	5	24	2	142	19	60	—	7	60~	
181	2	76	17	9	15	3	10	4	45	2	13	—	2	1	
142	4	46	12	2	17	4	10	5	42	4	11	1	1	2	
77	3	31	10	1	3	1	5	3	20	4	3	—	—	3	
59	1	20	4	2	6	2	3	—	21	2	3	—	—	4	
43	2	19	4	2	3	—	2	1	10	2	1	—	—	5	
91	4	41	7	5	3	—	3	4	24	3	11	—	2	6	
54	—	21	2	5	7	3	3	—	13	3	7	—	1	7	
104	3	39	11	3	9	2	2	3	32	5	7	2	2	8	
80	3	40	9	3	5	1	5	1	13	3	5	1	2	9	
59	1	20	7	4	2	2	6	—	17	2	3	—	1	10	

  

管 疾 患		イ ン フ ル エ ン ザ	肺 炎	気 管 支 炎 ， 肺 気 腫 お よ び 喘 息				消 化 性 潰 瘍	虫 垂 炎	腸 閉 塞 お よ び ヘ ル ニ ア	肝 硬 変	腎 炎 お よ び		年 次 年 市 郡
脳 硬 塞	そ の 他			総 数	気 管 支 炎	肺 気 腫	喘 息					総 数	急 性 腎 炎 お よ び ネ フ ロー ゼ	
...	...	3	126	...	26	...	...	74	3	34	88	74	11	41年
...	...	2	122	...	37	...	...	72	7	31	76	74	18	42
369	294	7	139	84	21	14	49	72	2	16	93	68	11	43
431	328	14	172	95	24	13	58	50	3	26	103	59	11	44
442	338	15	165	101	30	16	55	59	3	20	90	68	14	45
213	161	6	96	61	15	11	35	40	3	11	62	30	5	男
229	177	9	69	40	15	5	20	19	—	9	28	38	9	女
—	—	—	16	2	1	—	1	—	—	2	—	—	—	0才
—	—	—	2	—	—	—	—	—	—	1	—	3	1	5~
1	2	1	8	—	—	—	—	4	—	2	5	12	3	20~
20	38	2	7	7	1	—	6	9	—	4	35	14	2	40~
421	298	12	132	92	28	16	48	46	3	11	50	39	8	60~
71	50	—	36	17	6	3	8	8	1	2	14	12	2	1
66	54	2	33	14	3	2	9	8	1	2	17	12	4	2
42	43	—	8	6	2	1	3	4	—	5	14	7	—	3
19	19	3	5	5	1	—	4	3	—	—	5	2	—	4
15	16	—	12	13	5	—	8	7	—	1	6	5	2	5
68	30	2	11	11	3	2	6	9	—	3	7	6	—	6
27	24	—	10	6	1	1	4	3	—	—	3	—	—	7
54	49	5	23	14	5	4	5	5	1	4	13	—	1	8
35	34	—	18	10	2	2	6	5	—	3	5	12	4	9
45	19	3	9	5	2	1	2	7	—	—	6	5	1	10

205 主要死因別・年齢階級別・市郡別死亡者数 (続) 昭和41~45年

県厚生部「衛生統計年報」

年次・年齢・市郡	ネフローゼ	前立腺	その他の妊産婦の合併症	先天異常	出生時損傷およびその他の低酸素症	その他の周産期の死因	症状およびその他の診断名不明確の状態			その他のす				
	その他	肥大症	の合併症				総数	精神病の記載のない老衰	その他	総数	精神傷害	中枢神経系疾患	その他の循環器疾患	その他の環の患
昭和41年	65	4	6	18	12	51	595	491	104	416	...	...	28	
42	56	6	6	20	17	38	618	495	123	339	...	...	18	
43	57	2	5	32	27	45	547	446	101	354	20	29	29	
44	48	5	9	30	16	42	483	405	78	358	41	28	37	
45	54	4	3	27	24	33	536	426	110	312	23	26	37	
男女	25	4	—	17	16	12	207	149	58	147	12	11	20	
	29	—	3	10	8	21	329	277	52	165	11	15	17	
0~4才	—	—	—	22	24	33	2	—	2	3	—	1	—	
5~19	2	—	—	2	—	—	1	—	3	9	—	4	—	
20~39	9	—	3	2	—	—	9	—	7	18	2	4	—	
40~59	12	—	—	1	—	—	21	—	21	57	7	3	5	
60才~	31	4	—	—	—	—	503	426	77	225	14	14	32	
1 鳥取市	10	—	—	9	2	7	106	91	15	47	3	6	6	
2 米子市	8	3	1	2	5	8	109	86	23	46	2	5	4	
3 倉吉市	7	—	—	3	2	1	30	23	7	39	2	3	6	
4 境港市	2	—	2	2	3	1	19	15	4	11	3	1	—	
5 岩美郡	3	—	—	1	—	1	38	34	4	19	2	1	4	
6 八頭郡	6	—	—	2	3	4	73	54	19	31	3	1	5	
7 気高郡	2	—	—	1	—	4	14	12	2	18	2	1	1	
8 東伯郡	4	1	—	4	1	5	71	59	12	56	4	5	5	
9 西伯郡	8	—	—	3	4	1	56	34	22	26	2	2	1	
10 日野郡	4	—	—	—	4	1	20	18	2	19	—	1	5	

  

年次・年齢・市郡	すべての原因				自動車事故	その他の不慮の事故					自殺および自傷	その他の原因		
	急性気管支炎	管炎および細気管支炎	胃腸炎	十二指腸炎		肝臓の疾患	その他	総数	自動車の交通事故以外	不慮の墜落		不慮の溺死	その他	総数
昭和41年	—	92	...	...	122	196	19	49	55	73	94	9	9	—
42	—	94	...	...	117	188	20	37	43	88	72	5	5	—
43	16	55	25	180	144	174	15	42	42	75	76	5	3	2
44	20	48	22	162	134	171	22	41	41	67	96	16	9	7
45	11	26	30	159	147	195	26	40	49	80	91	11	7	4
男女	8	9	16	71	110	135	23	30	38	44	53	2	1	1
	3	17	14	88	37	60	3	10	11	36	38	9	6	3
0~4才	—	—	—	2	4	22	—	1	7	14	—	—	—	—
5~19	—	—	1	4	16	26	4	—	18	4	3	—	—	—
20~39	—	—	2	10	43	34	6	7	8	13	33	6	3	3
40~59	—	3	4	35	46	42	11	8	5	18	30	2	2	—
60才~	11	23	23	108	38	71	5	24	11	31	25	3	2	1
1 鳥取市	1	2	4	25	34	24	3	6	7	8	7	3	2	1
2 米子市	2	2	6	25	22	19	1	6	6	6	18	1	—	1
3 倉吉市	1	—	3	24	15	16	—	6	2	8	6	—	—	—
4 境港市	—	—	—	7	5	15	3	1	4	7	10	—	—	—
5 岩美郡	—	1	2	9	6	17	8	2	4	3	6	—	—	—
6 八頭郡	1	2	1	18	13	30	4	4	9	13	16	—	—	—
7 気高郡	—	1	3	10	9	8	1	3	1	3	6	4	4	—
8 東伯郡	5	14	6	17	18	33	5	7	8	13	15	1	—	1
9 西伯郡	1	2	2	16	19	21	1	4	4	12	5	1	—	1
10 日野郡	—	2	3	8	6	12	—	1	4	7	2	1	1	—

206 法定・指定・届出伝染病り患率 昭和36~45年

1 法定・指定伝染病り患率

県厚生部「衛生統計年報」

年次	赤痢 (含疫痢)	腸チフス	パラチフス	しよう紅熱	ジフテリア	流行性脳 脊髄膜炎	日本脳炎	急性灰白髄炎
全 国								
昭和 36 年	97.1	1.1	0.2	6.6	10.4	0.5	2.2	2.6
37	77.7	1.0	0.2	8.8	7.8	0.4	1.4	0.3
38	72.6	1.0	0.2	16.7	5.1	0.3	1.3	0.1
39	53.9	0.9	0.2	13.3	2.9	0.3	2.8	0.1
40	49.5	0.8	0.1	10.9	2.2	0.2	1.2	0.1
41	65.8	0.9	0.1	8.9	1.5	0.1	2.3	0.0
42	30.0	0.5	0.1	6.9	1.2	0.1	1.0	0.0
43	17.6	0.4	0.1	6.2	0.8	0.1	0.3	0.0
44	12.7	0.4	0.1	6.0	0.6	0.1	0.2	0.0
45	9.6	0.2	0.0	7.5	0.6	0.1	0.1	0.0
鳥 取 県								
昭和 36 年	150.3	1.0	—	13.3	15.6	1.2	7.7	0.7
37	188.4	3.4	0.5	11.5	9.4	1.0	5.7	0.2
38	160.5	2.5	—	19.8	10.3	—	2.7	—
39	102.1	1.0	—	11.0	8.7	0.3	20.2	0.2
40	80.9	2.9	—	9.0	5.9	0.5	2.8	—
41	63.0	0.7	—	6.6	2.8	0.2	9.2	—
42	46.2	0.2	—	5.7	2.3	0.3	4.7	—
43	33.9	—	—	3.5	—	0.2	0.5	—
44	25.3	0.2	—	3.1	—	—	0.2	—
45	3.2	—	—	3.7	0.2	—	—	—

2 届出伝染病り患率

年次	マラリア	ましん	百日咳	インフルエンザ	破傷風	つつが虫病	住血吸虫病	トラホーム
全 国								
昭和 36 年	0.0	41.7	5.5	118.6	0.8	0.1	0.5	31.1
37	0.0	67.3	12.1	498.4	0.7	0.1	0.4	24.7
38	0.0	39.7	4.3	0.8	0.7	0.0	0.3	28.6
39	0.0	54.0	1.2	113.4	0.7	0.0	0.5	24.8
40	0.0	58.5	2.4	416.6	0.6	0.0	0.2	22.2
41	0.0	53.5	3.2	41.8	0.5	0.0	0.2	13.1
42	0.0	21.1	0.8	55.2	0.4	0.0	0.2	11.5
43	0.0	42.5	0.5	138.2	0.3	0.0	0.1	12.2
44	0.0	21.7	1.1	120.4	0.3	0.0	0.0	8.0
45	0.0	30.2	0.6	166.9	0.2	0.0	0.0	6.7
鳥 取 県								
昭和 36 年	—	2.3	7.0	61.7	0.6	—	—	2.3
37	0.2	20.7	85.2	117.4	1.2	—	0.2	6.9
38	—	11.9	26.8	—	1.2	—	—	13.2
39	—	118.8	9.7	166.0	0.8	—	—	1.8
40	—	158.1	36.7	346.3	1.0	—	—	0.3
41	—	108.3	20.3	123.8	1.4	—	—	0.2
42	—	29.6	13.1	21.4	1.0	—	—	—
43	—	104.0	15.4	23.9	0.9	—	—	—
44	—	116.9	17.8	16.9	1.2	—	—	—
45	—	67.9	25.3	7.6	0.5	—	—	10.4

(注) 人口10万人に対するり患率である。

207 学 校

この表は、学校衛生統計調査による4月中の計測検査結果である。  
(単位 身長・胸囲・坐高<sup>cm</sup>、体重<sup>kg</sup>)

1 年 令 別 身 長 ・ 体 重 ・

年 次	男																																																																																																																																																																																																																																																																																								
	6 才	7 才	8 才	9 才	10才	11才	12才	13才	14才	15才	16才	17才	18才	19才																																																																																																																																																																																																																																																																											
昭和40年	身																																																																																																																																																																																																																																																																																								
	112.9	118.6	123.7	128.4	133.4	138.8	144.2	151.3	157.7	164.1	166.0	167.1	167.9	165.9																																																																																																																																																																																																																																																																											
	41	113.5	119.0	124.2	129.1	133.9	138.5	145.7	152.1	158.6	163.0	165.5	166.5	165.5																																																																																																																																																																																																																																																																											
	42	113.3	118.9	124.1	129.3	134.1	139.0	145.0	153.2	159.1	164.7	166.5	167.7	167.9	166.5																																																																																																																																																																																																																																																																										
	43	113.7	119.4	124.6	129.7	134.2	139.5	146.2	153.0	160.1	164.7	166.9	168.0	168.9	167.8																																																																																																																																																																																																																																																																										
44	114.0	119.8	124.7	129.9	134.8	140.1	146.5	153.7	160.3	164.7	166.9	168.2	168.0	167.7	昭和40年	体														19.4	21.4	23.6	26.1	28.6	31.9	35.7	41.2	46.7	52.4	55.4	57.4	58.5	57.4	41	19.5	21.6	23.9	26.3	29.0	31.7	36.4	42.0	47.5	51.8	55.2	56.8	57.8	57.9	42	19.4	21.6	24.1	26.5	29.2	32.2	36.4	42.6	47.6	53.1	55.9	57.9	58.6	59.0	43	19.8	21.8	24.2	27.1	29.6	32.5	37.4	42.6	49.1	53.0	57.6	58.2	59.2	57.6	44	19.9	22.1	24.4	27.0	29.9	33.1	37.4	43.1	48.8	53.3	56.4	58.2	58.6	61.8	昭和40年	胸														56.7	58.6	60.4	62.4	64.4	66.9	68.9	72.8	77.1	81.4	83.9	85.3	86.0	84.5	41	56.8	58.9	60.8	63.0	65.1	66.9	70.0	73.5	77.3	80.8	83.7	85.5	85.5	87.7	42	56.5	58.0	60.8	62.7	65.0	67.1	69.4	74.0	77.7	81.6	84.0	85.7	86.3	87.7	43	56.8	58.9	60.8	63.0	65.6	67.3	70.2	73.5	77.8	81.2	84.1	85.6	86.3	84.8	44	57.1	59.2	61.1	63.0	65.2	67.7	70.2	74.1	78.2	81.2	83.9	85.8	86.7	87.4	昭和40年	坐														64.1	66.7	69.0	71.1	73.2	75.5	78.5	81.9	85.1	88.4	89.8	90.4	90.8	89.3	41	64.3	67.0	69.3	71.3	73.5	75.2	78.7	81.8	85.5	88.1	89.3	89.9	89.4	89.9	42	64.2	66.8	69.3	71.5	73.1	75.3	78.7	82.6	85.5	88.9	89.7	90.5	90.5	90.2	43	64.4	67.2	68.8	71.7	73.5	75.8	79.1	82.7	85.8	88.7	90.0	90.5	90.6	90.8	44	64.6	67.2	69.6	71.6	73.8	76.0	79.3	82.7	86.1	88.8	89.9	90.5	90.5	91.0
昭和40年	体																																																																																																																																																																																																																																																																																								
	19.4	21.4	23.6	26.1	28.6	31.9	35.7	41.2	46.7	52.4	55.4	57.4	58.5	57.4																																																																																																																																																																																																																																																																											
	41	19.5	21.6	23.9	26.3	29.0	31.7	36.4	42.0	47.5	51.8	55.2	56.8	57.8		57.9																																																																																																																																																																																																																																																																									
	42	19.4	21.6	24.1	26.5	29.2	32.2	36.4	42.6	47.6	53.1	55.9	57.9	58.6		59.0																																																																																																																																																																																																																																																																									
	43	19.8	21.8	24.2	27.1	29.6	32.5	37.4	42.6	49.1	53.0	57.6	58.2	59.2	57.6																																																																																																																																																																																																																																																																										
44	19.9	22.1	24.4	27.0	29.9	33.1	37.4	43.1	48.8	53.3	56.4	58.2	58.6	61.8	昭和40年	胸														56.7	58.6	60.4	62.4	64.4	66.9	68.9	72.8	77.1	81.4	83.9	85.3	86.0	84.5	41	56.8	58.9	60.8	63.0	65.1	66.9	70.0	73.5	77.3	80.8	83.7	85.5	85.5	87.7	42	56.5	58.0	60.8	62.7	65.0	67.1	69.4	74.0	77.7	81.6	84.0	85.7	86.3	87.7	43	56.8	58.9	60.8	63.0	65.6	67.3	70.2	73.5	77.8	81.2	84.1	85.6	86.3	84.8	44	57.1	59.2	61.1	63.0	65.2	67.7	70.2	74.1	78.2	81.2	83.9	85.8	86.7	87.4	昭和40年	坐														64.1	66.7	69.0	71.1	73.2	75.5	78.5	81.9	85.1	88.4	89.8	90.4	90.8	89.3	41	64.3	67.0	69.3	71.3	73.5	75.2	78.7	81.8	85.5	88.1	89.3	89.9	89.4	89.9	42	64.2	66.8	69.3	71.5	73.1	75.3	78.7	82.6	85.5	88.9	89.7	90.5	90.5	90.2	43	64.4	67.2	68.8	71.7	73.5	75.8	79.1	82.7	85.8	88.7	90.0	90.5	90.6	90.8	44	64.6	67.2	69.6	71.6	73.8	76.0	79.3	82.7	86.1	88.8	89.9	90.5	90.5	91.0																																																																																									
昭和40年	胸																																																																																																																																																																																																																																																																																								
	56.7	58.6	60.4	62.4	64.4	66.9	68.9	72.8	77.1	81.4	83.9	85.3	86.0	84.5																																																																																																																																																																																																																																																																											
	41	56.8	58.9	60.8	63.0	65.1	66.9	70.0	73.5	77.3	80.8	83.7	85.5	85.5		87.7																																																																																																																																																																																																																																																																									
	42	56.5	58.0	60.8	62.7	65.0	67.1	69.4	74.0	77.7	81.6	84.0	85.7	86.3		87.7																																																																																																																																																																																																																																																																									
	43	56.8	58.9	60.8	63.0	65.6	67.3	70.2	73.5	77.8	81.2	84.1	85.6	86.3	84.8																																																																																																																																																																																																																																																																										
44	57.1	59.2	61.1	63.0	65.2	67.7	70.2	74.1	78.2	81.2	83.9	85.8	86.7	87.4	昭和40年	坐														64.1	66.7	69.0	71.1	73.2	75.5	78.5	81.9	85.1	88.4	89.8	90.4	90.8	89.3	41	64.3	67.0	69.3	71.3	73.5	75.2	78.7	81.8	85.5	88.1	89.3	89.9	89.4	89.9	42	64.2	66.8	69.3	71.5	73.1	75.3	78.7	82.6	85.5	88.9	89.7	90.5	90.5	90.2	43	64.4	67.2	68.8	71.7	73.5	75.8	79.1	82.7	85.8	88.7	90.0	90.5	90.6	90.8	44	64.6	67.2	69.6	71.6	73.8	76.0	79.3	82.7	86.1	88.8	89.9	90.5	90.5	91.0																																																																																																																																																																																		
昭和40年	坐																																																																																																																																																																																																																																																																																								
	64.1	66.7	69.0	71.1	73.2	75.5	78.5	81.9	85.1	88.4	89.8	90.4	90.8	89.3																																																																																																																																																																																																																																																																											
	41	64.3	67.0	69.3	71.3	73.5	75.2	78.7	81.8	85.5	88.1	89.3	89.9	89.4		89.9																																																																																																																																																																																																																																																																									
	42	64.2	66.8	69.3	71.5	73.1	75.3	78.7	82.6	85.5	88.9	89.7	90.5	90.5		90.2																																																																																																																																																																																																																																																																									
	43	64.4	67.2	68.8	71.7	73.5	75.8	79.1	82.7	85.8	88.7	90.0	90.5	90.6	90.8																																																																																																																																																																																																																																																																										
44	64.6	67.2	69.6	71.6	73.8	76.0	79.3	82.7	86.1	88.8	89.9	90.5	90.5	91.0																																																																																																																																																																																																																																																																											

2 学 校 生 徒 児 童 の 疾 病 異 常

(単位 率%)

校種・男女・年次	一							般		
	在 学 生 徒 児 童 数	受 検 人 員 1)	栄 養 要 注 意	せ き 柱 異 常	胸 郭 異 常	伝 染 性 の 皮 膚 疾 患	眼			
							近 視	遠 視	乱 視	
小学校 男 昭和40年	10 946	10 804	0.7	0.7	1.1	2.7	10.7	0.1	0.2	
	41	10 182	10 093	0.5	0.7	1.4	1.8	9.5	0.2	0.1
	42	9 763	9 668	0.8	0.6	1.3	1.4	7.6	0.2	0.2
	43	10 016	9 868	0.6	0.6	1.3	1.2	10.0	0.1	0.2
	44	9 509	9 403	0.2	0.6	1.5	1.4	11.2	0.0	0.1
小学校 女 昭和40年	10 542	10 425	0.7	0.6	1.0	1.3	13.2	0.0	0.2	
	41	9 615	9 551	0.5	0.5	0.9	0.5	10.7	0.1	0.1
	42	9 310	9 238	0.6	0.4	0.9	0.8	9.8	0.1	0.1
	43	9 703	9 599	0.5	0.5	1.0	0.5	12.1	0.1	0.2
	44	9 233	9 142	0.3	0.5	1.1	0.5	13.4	0.1	0.2
中学校 男 昭和40年	10 066	9 910	0.3	0.3	0.3	1.8	18.7	0.0	0.8	
	41	9 267	9 030	0.1	1.1	0.7	2.1	19.3	0.2	2.2
	42	8 859	8 669	0.2	0.1	1.0	2.3	18.8	0.0	0.3
	43	8 657	8 514	0.3	0.7	0.6	1.9	19.6	0.0	0.5
	44	7 740	7 614	0.0	1.8	0.7	1.1	22.3	0.2	0.2
中学校 女 昭和40年	9 478	9 337	0.2	0.3	0.1	1.0	23.6	—	1.3	
	41	8 775	8 639	0.2	0.6	0.2	0.7	22.1	0.1	2.7
	42	8 479	8 356	0.3	0.1	0.6	0.9	23.3	0.1	0.5
	43	8 188	8 096	0.5	0.4	0.2	0.6	23.1	0.0	0.5
	44	7 425	7 342	0.0	1.8	0.2	0.5	27.6	0.2	0.3
高等学校 男 昭和40年	11 513	11 157	0.0	0.6	0.5	0.2	39.8	0.1	0.9	
	41	6 818	6 186	0.1	0.5	1.0	1.7	31.6	0.2	1.4
	42	9 767	9 360	0.2	0.5	0.7	0.4	35.9	0.2	1.7
	43	9 342	9 123	0.0	0.1	0.9	0.3	41.3	0.2	1.7
	44	6 694	6 648	0.2	1.1	1.5	2.9	33.4	—	0.3
高等学校 女 昭和40年	8 334	8 017	0.0	0.1	0.2	0.0	41.5	0.1	0.8	
	41	10 016	9 704	0.1	0.2	0.5	0.5	34.9	0.3	1.3
	42	8 697	8 488	0.1	0.2	0.2	0.2	32.7	0.1	1.7
	43	6 126	6 044	—	0.1	0.9	0.1	37.6	0.2	1.6
	44	8 349	8 309	0.2	0.5	1.3	0.7	38.4	0.0	0.9

(注) 1) 一般検診の受検者数は栄養要注意検査数である。

衛生

胸囲・坐高 昭和40～44年

県統計課

女													年次	
6才	7才	8才	9才	10才	11才	12才	13才	14才	15才	16才	17才	18才		19才
<b>長</b>														40年 41 42 43 44
111.7	117.8	122.9	128.2	134.3	140.5	146.4	150.4	152.8	154.5	154.7	155.1	154.8	154.7	
112.6	118.1	123.4	129.0	134.5	141.2	146.7	151.1	153.2	154.3	154.8	155.0	154.8	154.8	
112.7	118.2	123.7	129.2	134.7	141.3	147.5	151.2	153.5	155.0	155.3	155.4	156.3	156.5	
112.9	118.2	123.9	129.2	135.4	141.9	147.8	151.7	153.8	154.4	154.9	155.2	155.9	155.5	
112.9	118.7	124.2	129.6	136.0	142.5	148.4	152.0	154.3	154.9	155.3	155.5	155.5	152.1	
<b>重</b>														40年 41 42 43 44
18.8	20.9	22.9	25.7	29.0	33.3	38.2	42.7	46.1	48.2	50.3	50.9	50.9	50.7	
19.0	21.0	23.3	26.5	29.3	33.6	38.7	43.7	45.7	48.6	50.4	51.1	50.6	50.1	
19.1	21.2	23.4	26.4	29.7	34.0	39.3	43.8	47.1	49.3	50.9	51.4	52.1	53.0	
19.4	21.3	24.1	26.6	30.2	34.9	39.5	43.9	47.4	49.3	50.9	51.5	51.3	53.5	
19.2	21.5	24.1	26.8	30.3	35.1	40.3	44.1	47.4	49.6	51.2	51.5	52.7	51.7	
<b>囲</b>														40年 41 42 43 44
55.1	56.9	58.6	60.8	63.3	66.8	71.2	74.6	76.8	78.9	80.5	81.3	81.2	81.7	
55.4	57.0	59.0	61.3	63.9	67.3	71.5	75.0	77.4	79.5	80.8	81.5	81.3	81.5	
55.1	56.9	58.8	61.3	63.7	67.4	71.4	75.1	77.4	79.2	80.4	80.7	81.7	84.0	
55.3	57.1	59.3	61.2	64.3	68.1	72.5	75.6	78.4	79.5	80.6	80.9	80.7	83.9	
55.5	57.3	59.6	61.6	64.3	68.4	71.9	75.9	77.5	80.5	81.8	82.2	82.8	80.5	
<b>高</b>														40年 41 42 43 44
63.5	66.2	68.7	71.4	73.8	76.8	80.5	82.9	84.3	85.1	85.5	85.6	84.8	84.3	
64.1	67.1	68.8	71.3	74.1	77.1	80.9	83.1	84.3	85.0	85.4	86.4	85.3	84.7	
63.8	66.5	68.9	71.5	74.0	77.2	80.8	83.1	84.4	85.5	85.5	85.5	85.9	86.5	
64.0	66.9	69.2	71.5	74.3	77.6	81.0	83.2	84.4	85.2	85.4	85.7	85.5	86.8	
64.1	66.8	69.3	71.7	74.4	77.8	81.1	83.4	84.6	85.4	85.4	85.6	85.6	84.2	

該当者率 (受検人員に対する100分比) 昭和40～44年

県統計課

検 診											校種 男女 年次					
弱視 (両眼)		色異常		トランプホーム		難聴 (両耳)		中耳炎		鼻・いんとう			受検人員	歯 ぐ		
										せん様増殖症 (アデノイド)		蓄のう症		へんとう 腺肥大	処置を完了し ているもの	未処置歯の あるもの
0.1	3.4	0.9	0.7	0.5	1.2	2.3	9.6	10 761	4.8	83.7	40年 41 42 43 44					
0.1	2.6	0.9	0.3	0.5	1.1	4.2	9.8	10 063	7.4	83.9						
0.1	3.2	0.7	0.4	0.3	0.8	2.1	7.8	9 624	9.4	79.1						
0.1	3.1	0.8	0.3	0.3	0.7	3.8	8.8	9 839	7.9	85.0						
0.2	2.8	0.5	0.4	0.2	0.4	3.3	10.1	9 386	7.7	85.4						
0.1	0.2	1.4	0.6	0.3	0.9	1.7	9.7	10 378	6.7	83.8	40年 41 42 43 44					
0.1	0.2	1.2	0.1	0.3	0.9	3.0	9.8	9 511	9.5	82.8						
0.1	0.1	0.9	0.3	0.2	0.6	1.3	7.7	9 170	11.0	78.9						
0.1	0.1	1.6	0.3	0.1	0.6	2.8	8.9	9 591	9.9	82.6						
0.1	0.2	0.8	0.2	0.2	0.4	2.5	10.2	9 126	9.8	84.6						
0.4	3.9	0.8	0.3	0.6	0.1	2.6	7.3	9 577	12.4	66.3	40年 41 42 43 44					
0.1	3.9	0.6	0.2	0.2	0.1	1.7	5.8	9 066	12.8	70.9						
0.2	3.8	0.7	0.2	0.3	0.0	1.9	7.4	8 541	14.6	71.5						
0.2	3.9	0.6	0.3	0.5	0.1	3.3	6.2	8 503	16.5	70.7						
0.4	3.4	0.9	0.3	0.4	0.0	2.2	6.5	7 613	18.0	70.6						
0.7	0.2	0.9	0.2	0.3	0.2	2.8	7.0	8 997	14.8	70.0	40年 41 42 43 44					
0.2	0.3	0.8	0.1	0.2	0.1	1.7	6.1	8 659	15.7	72.9						
0.2	0.2	1.0	0.1	0.2	0.0	2.0	8.0	8 218	18.5	73.0						
0.2	0.2	0.6	0.5	0.3	0.0	3.1	5.3	8 093	19.7	72.3						
0.3	0.1	1.3	0.2	0.1	0.0	1.6	6.5	7 354	21.5	71.2						
0.0	3.6	0.4	0.2	0.3	—	0.8	4.1	10 585	24.3	58.0	40年 41 42 43 44					
0.0	5.1	0.2	0.1	0.3	—	0.2	1.4	5 759	19.2	60.8						
—	4.4	0.4	0.2	0.1	—	0.8	2.7	9 241	24.6	62.5						
0.1	3.7	0.4	0.3	0.3	—	1.0	2.7	9 077	27.7	58.5						
0.1	5.2	0.2	0.1	0.2	0.0	0.6	2.6	6 616	18.5	68.3						
0.1	0.1	0.2	0.3	0.1	0.1	0.4	5.2	8 091	27.1	59.9	40年 41 42 43 44					
0.1	0.2	0.3	0.2	0.1	—	0.4	2.6	9 020	19.7	68.0						
—	0.1	0.2	0.1	0.1	—	1.0	3.7	8 417	30.0	24.8						
0.2	0.3	0.0	0.6	0.2	0.0	0.9	2.9	6 005	28.1	60.8						
0.3	0.2	0.3	0.1	0.1	—	0.4	3.3	8 303	21.0	72.2						



## 207 学 校

### 2 学校生徒児童の疾病異常

校種・男女・年次	一 般 検 診 ( 統 )				精			
	身体虚弱	精神薄弱	運動機能障害	心臓の疾患	在 学 生 徒 児 童 数	結 核 性		定期受検人員
						在学者のうち 結核被患者		
小学校	男 昭和40年	4 1	2.5	0.3	0.2	10 938	0.56	10 790
		4 1	1.6	0.2	0.3	10 191	0.29	9 967
		4 2	1.1	0.2	0.3	9 764	0.27	9 555
		4 3	1.2	0.3	0.3	10 006	0.40	9 916
		4 4	1.7	0.2	0.3	9 513	0.21	9 401
	女 昭和40年	4 1	2.2	0.2	0.2	10 547	0.69	10 411
		4 1	1.4	0.1	0.5	9 622	0.27	9 422
		4 2	0.9	0.1	0.4	9 308	0.25	9 123
		4 3	1.3	0.2	0.4	9 692	0.41	9 629
		4 4	1.3	0.1	0.3	9 236	0.15	9 149
中学校	男 昭和40年	4 1	1.8	0.2	0.3	10 062	0.21	9 886
		4 1	2.9	0.2	0.3	9 273	0.18	9 129
		4 2	2.2	0.1	0.1	8 846	0.17	8 601
		4 3	2.6	0.3	0.3	8 659	0.20	8 534
		4 4	2.1	0.2	0.4	7 737	0.19	7 678
	女 昭和40年	4 1	1.7	0.1	0.3	9 461	0.19	9 295
		4 1	2.9	0.2	0.3	8 772	0.23	8 668
		4 2	1.6	0.2	0.2	8 481	0.18	8 315
		4 3	2.1	0.1	0.3	8 186	0.18	8 101
		4 4	1.9	0.2	0.3	7 423	0.13	7 347
高等学校	男 昭和40年	4 1	—	0.1	0.4	11 463	0.15	11 282
		4 1	—	0.2	0.4	6 809	0.25	6 629
		4 2	—	0.1	0.4	9 744	0.22	9 528
		4 3	—	0.2	0.6	9 340	0.45	9 260
		4 4	0.0	0.2	0.5	6 679	0.15	6 654
	女 昭和40年	4 1	—	0.1	0.7	8 154	0.17	8 182
		4 1	—	0.1	0.3	10 016	0.25	9 942
		4 2	—	0.1	0.5	8 696	0.18	8 577
		4 3	—	0.1	0.8	6 120	0.42	6 096
		4 4	—	0.0	0.5	8 334	0.20	8 317

## 208 小 学 校 ・ 中 学 校 給 食

- 1 給食の毎週回数とは、いずれも実施計画された回数である。  
 2 人員は4月中に1回以上給食を受けた児童生徒および教職員ならびに学校給食をとることを認められた給食従業員をいう。

年 次	総 数		完 全 給							
			総 数				毎 週 4 回			
	学校数	人 員	学校数	実施率 1)	人 員	実施率 2)	学校数	実施率 1)	人 員	実施率 2)
<b>小 学</b>										
昭和41年5月1日	254	62 313	181	71.3	57 598	92.4	—	—	—	—
4 2 "	256	59 816	189	73.8	55 493	92.9	—	—	—	—
4 3 "	248	57 978	190	76.2	54 584	94.2	—	—	—	—
4 4 "	240	59 076	190	79.2	56 191	95.1	—	—	—	—
4 5 "	258	54 508	190	79.8	52 098	95.6	—	—	—	—
<b>中 学</b>										
昭和41年5月1日	76	37 527	40	52.6	20 179	53.8	—	—	—	—
4 2 "	77	35 794	41	53.2	19 932	55.7	—	—	—	—
4 3 "	75	34 306	43	57.3	20 692	60.3	—	—	—	—
4 4 "	75	34 554	44	58.7	21 386	61.8	—	—	—	—
4 5 "	75	31 319	49	65.3	21 140	67.5	—	—	—	—

(注) 1) 給食実施学校数/学校総数×100  
 2) 給食人員/人員総数×100

衛生 (続) 昭和40~44年

該当者率 (受検人員に対する100分比) 昭和40~44年

県統計課

疾患	検査									校種 男女 年次
	受検人員	ツベルクリン皮内反応				寄生虫卵				
		陽性		疑陽性	陰性	受検人員	回虫卵保有	十二指腸虫卵保有		
既陽性	陽転	陽性	陽転					陽性	陽転	
定期健康診断受検者のうち結核被患者	0.53	10 710	42.5	17.7	13.7	26.1	9 796	4.5	0.4	40年
	0.28	10 042	42.9	17.2	15.2	24.6	9 088	2.3	0.4	41
	0.23	9 588	47.0	15.4	12.6	25.0	8 286	3.5	0.2	42
	0.36	9 796	47.2	17.3	12.5	23.0	9 476	2.6	0.2	43
	0.21	9 325	39.7	19.2	19.4	21.7	8 943	1.5	0.0	44
	0.65	10 352	47.5	16.3	12.3	23.9	9 568	4.3	0.4	40年
	0.25	9 483	46.9	17.1	14.9	21.1	8 553	2.2	0.3	41
	0.21	9 145	50.9	16.0	11.0	22.0	7 842	3.1	0.3	42
	0.41	9 518	51.0	18.2	10.8	20.0	9 176	2.7	0.3	43
	0.15	9 081	42.8	19.9	16.7	20.6	8 637	1.6	0.1	44
	0.20	9 865	66.2	8.8	13.6	11.4	8 223	2.5	0.6	40年
	0.19	8 872	62.1	13.5	12.1	12.3	8 325	2.3	0.3	41
	0.17	8 526	64.9	10.8	11.0	13.4	6 680	1.5	0.3	42
	0.19	8 474	62.2	9.8	12.2	15.8	7 636	1.6	0.3	43
	0.18	7 578	54.6	15.3	18.4	11.7	7 280	2.1	0.1	44
	0.18	9 304	63.4	7.4	14.9	14.3	7 945	2.8	0.8	40年
	0.21	8 437	59.1	14.6	11.6	14.6	8 183	2.3	0.4	41
	0.18	8 236	64.4	10.2	10.4	15.0	6 669	1.7	0.4	42
	0.16	8 032	59.2	10.8	12.0	18.0	7 422	1.5	0.3	43
	0.12	7 310	53.7	15.9	17.4	13.0	7 070	2.0	0.1	44
	0.12	11 337	73.3	6.2	12.5	8.0	6 348	1.4	0.8	40年
	0.26	6 025	71.5	8.1	13.0	7.5	4 146	1.7	0.6	41
	0.22	9 503	74.4	5.6	9.6	10.3	5 835	1.2	0.2	42
	0.45	8 598	76.2	4.9	9.6	9.3	6 036	0.7	0.2	43
	0.15	5 885	75.7	9.9	9.5	4.9	4 904	1.4	0.2	44
	0.16	8 199	72.2	6.5	11.5	9.8	4 299	2.3	0.5	40年
	0.24	9 573	73.0	8.5	9.8	8.7	7 290	1.8	0.9	41
	0.19	8 610	80.7	4.5	7.0	7.7	4 793	1.3	0.3	42
	0.43	5 715	81.1	5.3	6.3	7.3	4 710	1.0	0.3	43
	0.20	7 879	78.2	8.6	6.8	6.4	6 851	1.2	0.1	44

別学校数および人員 昭和41~45年

県教育委員会体育保健課

食				ミルク給食(毎週5回以上)				補食給食(毎週5回以上)				年次
毎週5回以上												
学校数	実施率1)	人員	実施率2)	学校数	実施率1)	人員	実施率2)	学校数	実施率1)	人員	実施率2)	
<b>校</b>												
181	71.3	57 598	92.4	64	25.2	4 548	7.3	—	—	—	—	41年
189	73.8	55 493	92.9	63	24.6	4 240	7.0	—	—	—	—	42
190	76.2	54 584	94.2	47	19.4	2 693	4.7	8	3.2	638	1.1	43
190	79.2	56 191	95.1	42	17.5	2 237	3.8	8	3.3	648	1.1	44
190	79.8	52 698	95.6	40	16.8	1 828	3.3	8	3.4	582	1.1	45
<b>校</b>												
40	52.6	20 179	53.8	36	47.4	17 348	46.2	—	—	—	—	41年
41	53.2	19 932	55.7	36	46.8	15 862	44.3	—	—	—	—	42
43	57.3	20 692	60.3	31	41.4	13 213	38.5	1	1.3	401	1.2	43
44	58.7	21 386	61.8	30	40.0	12 758	36.9	1	1.3	410	1.3	44
49	65.3	21 140	67.5	25	33.4	9 833	31.4	1	1.3	346	1.1	45